

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10117	(username or name) with (class or group or role) with (one or single or "same" or contiguous or continuous) and @ad< "20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 09:15
L2	874	(switch\$3 or chang\$3 or swap\$4) with (identity or account or role) with (one or single) with (step)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 09:16
L3	9	I1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 09:16
S1	2	"5604490".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:48
S2	2	"20010029527".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 15:50
S3	3600	726/2-6,16-19,21.ccls. and @ad< "20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 16:34
S4	1256	713/182-183.ccls. and @ad< "20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 16:35
S5	4580	S3 or S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 16:35

S6	29	((login with (second\$3 or alternat\$3) with (class or group)) and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 16:39
S7	175	((login or logon) with (specify\$3 or indicat\$3 or enter\$3) with (class or group or domain)) and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 15:57
S8	4955	((log\$3 with (second\$3 or alternat\$3) with (class or group)) and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:10
S9	3608	726/2-6,16-19,21.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:11
S10	1256	713/182-183.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:11
S11	4588	S9 or S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:11
S12	17	S8 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:11
S13	15818	((identity or class) with switch\$3) and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:44

S14	69	S11 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:44
S15	2	"5937159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:39
S16	2	"6434619".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:40
S17	2	"6732181".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:41
S18	25604	switch\$3 adj2 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:41
S19	18069	S18 and @ed<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:41
S20	3925	S19 and (alternat\$3 or second\$3) with (class or level or group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:42
S21	195	S20 and audit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 18:44

S22	490	S20 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 19:08
S23	7667	709/227-229.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:41
S24	1074	S23 and login	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:41
S25	572	S24 and (identity or user) with (switch\$3 or chang \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:42
S26	1571	(log or audit) with user with activit\$3 and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:03
S27	3615	726/2-6,16-19,21.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:03
S28	1259	713/182-183.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:03
S29	4598	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:03

S30	11781	S23 or S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:04
S31	120	S26 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:04
S32	7667	709/227-229.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:37
S33	3615	726/2-6,16-19,21.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:37
S34	1259	713/182-183.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:37
S35	4598	S33 or S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:37
S36	11781	S32 or S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:37
S37	212	S36 and (select\$3 or choos \$3) with (level or class) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:37

S38	91	S36 and (specify\$3) with (level or class) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 12:56
S39	2193	user with (specify\$3 or choos\$3 or select\$3) with role	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:08
S40	1281	S39 and @ad< "20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:09
S41	112	S40 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:09
S42	40	S41 and (swap\$4 or chang\$3 or switch\$3) with role	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:13
S43	2	"20020062270".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 15:42
S44	1936	character with separat\$3 with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 15:46
S45	1060	S44 and @ad< "20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 15:46

S46	61600	alterna\$4 with (class or group) and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 16:47
S47	30	S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 16:47
S48	27	S46 and (identity adj1 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 16:51
S49	243023	((identity or account or class or role or user) with (switch\$3 or swap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:51
S50	8132	709/227-229.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:52
S51	3870	726/2-6,16-19,21.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:52
S52	1352	713/182-183.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:52
S53	12520	S50 or S51 or S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:52

S54	1768	S53 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:52
S55	1142	S54 and (authenticat\$3 or verify\$3 or verification or identification or identify \$3) with (client or user or subscriber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 16:57
S56	31	(single adj1 step) same (login or logon or "log-in" or "log-on")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:08
S57	17	S56 and @ad< "20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:08
S58	4	(single adj1 step) same (signin or signon or "sign-in" or "sign-on")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:18
S59	2	"20050204146".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:18
S60	0	("2005/0204146").URPN.	USPAT	OR	OFF	2008/10/15 10:18
S61	529208	((identity or account or class or role or user) with (switch\$3 or swap\$4 or chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:19
S62	7519	S61 and (pars\$3) with (string or character or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:20

S63	8132	709/227-229.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:20
S64	3870	726/2-6,16-19,21.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:20
S65	1352	713/182-183.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:20
S66	12520	S63 or S64 or S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:20
S67	230	S62 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:20
S68	8326	709/227-229.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:25
S69	3988	726/2-6,16-19,21.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:25
S70	1392	713/182-183.ccls. and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:25

S71	12832	S68 or S69 or S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 10:25
S72	23526	((identification or id or userid) with (class or group or role) with (one or single or "same" or contiguous or continuous) and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 11:21
S73	1584	S72 and (switch\$3 or chang\$3 or swap\$4) with (identity or account)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 11:21
S74	8	S70 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 11:22
S75	873	(switch\$3 or chang\$3 or swap\$4) with (identity or account or role) with (one or single) with (step)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 11:54
S76	511	S75 and @ad<"20040309"	US-PGPUB; USPAT; USOCR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/02 11:54
S77	10	((switch\$3 or swap\$4 or chang\$3) and (class or role) and (password or pin or passcode or passphrase) and (identifier or identity or userid or identification)).clm. and @ay="2004"	US-PGPUB	OR	ON	2009/02/02 12:02

2/ 3/ 2009 9:22:12 AM

C:\Documents and Settings\ppich\My Documents\EAST\Workspaces\10796372.wsp